



Colorado All Payer Claims Database

DESF Dictionary

Intro

Here is an example of how each page will look and what each category represents pertaining to data associated with the column in the database.

Locations: Provides the location of the information by table name. In the chart below you'll have a list of every table the column represented at the top of the page resides in.

DESF stands for: Data Element Selection Form

DESF Tables
• Member_Eligibility

Data Type: This holds the data type of the column for the page you are looking into.

Data Example (format): This holds a brief example of information that is in the column represented by X (alphabetic) or 0 (numeric) values.

Max Character Length: The max length of characters the column will hold are located here.

Security Level: This is the classification of the column, notifying you if you are able to see the entirety of the data.

Database Column Name: As the name of the column will most likely be the name of the page, it is located here as well in case it is different from the database.

DSG Code: If the column and the data column are associated with the Data Submission Guide (DSG) document the element code will be located here.

Missing Data Code: This description is the same for every page, for it is more of a reminder if you are seeing blank cells, null values, etc..

Description: This will hold a general description of the information within the column for that specific page.

AccScore

Locations:

DESF Tables
Member_Eligibility

Data Type: Numeric

Data Example (format): 0 and .00

Max Character Length: 3,2

Security Level: De-Identified

Database Column Name: AccScore

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Geocodio Accuracy Score ranging from 0.00-1.00 indicating the believed accuracy of geocoding results with a higher score indicating a better result. See also

<https://www.geocod.io/docs/#accuracy-score>

AccType

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format):

Max Character Length: 50

Security Level: De-Identified

Database Column Name: AccType

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Geocodio Accuracy Type result that is paired with element 'AccScore' to provide additional context to geocoding results. See complete list of accuracy types at

<https://www.geocod.io/docs/#accuracy-score>.

Actuarial_Value

Locations:

DESF Tables
Member_Eligibility

Data Type: Numeric

Data Example (format): 000

Max Character Length: 18

Security Level: De-Identified

Database Column Name: Actuarial_Value

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Actuarial Value as defined under the Affordable Care Act

Address

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable Character (varchar)

Data Example (format): 0000 X XXXXX XXX 000

Max Character Length: 221

Security Level: Sensitive

Database Column Name: Address

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds address of providers.

Address_Type_Cd

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable Character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Address_Type_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: M = Business mailing Address

L = Primary Practice Location Address

S = Secondary Practice Location Address

Description: Holds address type of provider. Designates billing location or service location.

Admit_Diagnosis_Cd

Locations:

DESF Tables
Medical_Claim_Header

Data Type: Variable character (varchar)

Data Example (format): 00000

Max Character Length: 7

Security Level: De-Identified

Requirement: R (Required inpatient claims, outpatient claims are optional)

Database Column Name: Admit_Diagnosis_Cd

DSG Code: MC039

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the diagnosis code on the claim for when the member was admitted for services.

Admit_Dt

Locations:

DEF Tables
• Medical_Claims_Header

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 8

Security Level: Limited

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Dt

DSG Code: MC018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date that patient received treatment/services. YYYYMMDD format.

Admit_Dt_Day

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Date

Data Example (format): 00

Max Character Length: 8

Security Level: Limited

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Dt_Day

DSG Code: MC018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day of date that patient admission for services.

Admit_Dt_Month

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Date

Data Example (format): 00

Max Character Length: 8

Security Level: Limited

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Dt_Month

DSG Code: MC018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month of date that patient admission for services.

Admit_Dt_Year

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Date

Data Example (format): 0000

Max Character Length: 8

Security Level: De-Identified

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Dt_Year

DSG Code: MC018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day of date that patient admission for services.

Admit_Source_Cd

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Source_Cd

DSG Code: MC021

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A code indicating the point of patient origin for this admission or visit. Required for all institutional claims. Admission Type codes are maintained by the National Uniform Billing Committee.

Admit_Source_Desc

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX XXXXXX XXXXXX

Max Character Length: 200

Security Level: De-Identified

Database Column Name: Admit_Source_Desc

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: The description of the point of origin of admission.

Admit_Time

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example(format): 0000

Max Character Length: 4

Security Level: Limited

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Time

DSG Code: MC019

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the time patient was admitted. Required for all inpatient claims. Time is expressed in military time - HHMM.

Admit_Type_Cd

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Integer (int)

Data Example (format): 0

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: Admit_Type_Cd

DSG Code: MC020

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator for the type of admission.

Admit_Type_Desc

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): XXXX XXXXXX XXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Admit_Type_Desc

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Description of the priority type of the patient visit.

Allowed_Amt

Locations:

DESF Tables
• Medical_Claims_Header

- Medical_Claims_Line
- Pharmacy_Claims_Header
- Dental_Claims_Header
- Dental_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Database Column Name: Allowed_Amt

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Allowed amount is the sum of member liability and plan covered amounts.

APR_MDC_CD

Locations:

DESF Tables

- Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 3

Security Level: De-Identified

Database Column Name: APR_MDC_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds Adjusted Clinical Groups Major Diagnostic Categories, HCUP/AHRQ grouper.

APR_Medical_Surgical_Drg_Flag

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: De-Identified

Database Column Name: APR_MedicalSurgicalDRG_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds Adjusted Clinical Groups Null, 0, 1, 2

APR_Risk_Of_Mortality

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable Character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: De-Identified

Database Column Name: APR_Risk_of_Mortality

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 0 = N/A

1 = Minor

2 = Moderate

3 = Major

4 = Extreme

Description: Holds Adjusted Clinical Groups.

APR_Severity

Locations:

DESF Tables
• Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: N/A

Database Column Name: APR_Severity

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 0 = N/A

1 = Minor

2 = Moderate

3 = Major

4 = Extreme

Description: Holds Adjusted Clinical Groups.

APRDRG_CD

Locations:

DESF Tables
• Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 3

Security Level: De-Identified

Database Column Name: APRDRG_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the All Patients Refined Diagnosis Related Groups, HCUP/AHRQ grouper.

APRDRG_Version

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 3

Security Level: De-Identified

Database Column Name: APRDRG_Version

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: This holds the version number of the APRDRG

Bill_Type_Cd

Locations:

Tables
- Medical_Claims_Header - Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 3

Security Level: De-Identified

Requirement: R (Required institutional claims only)

Database Column Name: Bill_Type_Cd

DSG Code: MC036

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Identifies the facility where the claim occurred, the type of claim, facility type and bill classification. Required for institutional claims; Not to be used for professional claims.

Bill_Type_Desc

Locations:

DESF Tables
• Medical_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX XXXXXXXX XXXXXXXX

Max Character Length: 145

Security Level: De-Identified

Database Column Name: Bill_Type_Desc

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: The description of the bill type.

Billing_Provider_Composite_ID

Locations:

DESF Tables
• Medical_Claims_Header

- Medical_Claims_Line
- Dental_Claims_Header
- Dental_Claims_Line

Data Type: Integer (int)

Data Example (format): 000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Billing_Provider_Composite_ID

DSG Code: N/A

Category: Key

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Is the unique billing identifier for provider generated by CIVHC.

Capitation_Flag

Locations:

DESF Tables
• Medical_Claims_Header (char) • Medical_Claims_Line (varchar) • Dental_Claims_Header (char) • Dental_Claims_Line (varchar)

Data Type: Variable character (varchar), Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Capitation_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Services paid under capitated arrangement.

N = Services NOT paid under capitated arrangement.

U = Unknown

Description: Indicates if services are paid under a capitated arrangement or not.

Census_Block

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 10

Security Level: Limited

Database Column Name: CensusBlockCd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: 4-digit code indicating the Census Block. See complete definition at https://www.census.gov/programs-surveys/geography/about/glossary.html#par_textimage_5.

Census_Block_Group

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 0

Max Character Length: 20

Security Level: Limited

Database Column Name: CensusBlockCd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Single-digit code indicating the group number of the Census Block. See complete definition of Block Group at

https://www.census.gov/programs-surveys/geography/about/glossary.html#par_textimage_4.

Census_Tract

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 000000

Max Character Length: 20

Security Level: Limited

Database Column Name: CensusTractCd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: 6-digit code indicating the Census Tract, a subdivision of a county for statistical purposes. See complete definition of Census Tract at

https://www.census.gov/programs-surveys/geography/about/glossary.html#par_textimage_13.

Census_Year

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 20

Security Level: De-Identified

Database Column Name: CensusTractCd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Year to which the Census data belongs (YYYY).

Charge_Amt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Pharmacy_Claims_Header • Pharmacy_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Charge_Amt

DSG Code: MC062

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the amount members are charged by the providers.

****Note** denied claims/claim lines, charge amount are entered as a positive value.

City

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXXXX

Max Character Length: 80

Security Level: Sensitive

Database Column Name: City

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: City location of providers office.

Claim_ID

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Medical_Claims_Dx - Medical_Claims_Procedures - Pharmacy_Claims_Header - Pharmacy_Claims_Line - Dental_Claims_Header - Dental_Claims_Line - Dental_Claims_Procedures - Diagnosis_Related_Groups_DRG

Data Type: Integer

Data Example (format): 0000000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Claim_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A unique identifier of the claim whether that be medical, pharmacy, or dental.

Claim_Line_Type

Locations:

DESF Tables
• Medical_Claims_Line • Pharmacy_Claims_Line • Dental_Claims_Line

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: MC038C_Claim_Line_Type

DSG Code: Medical - MC038C

Pharmacy - PC025B

Dental - MC038C

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator that identifies the code that defines the claim line status in terms of adjudication.

Claim_Status_Cd

Locations:

DESF Tables

- Medical_Claims_Header
- Medical_Claims_Line
- Pharmacy_Claims_Header
- Pharmacy_Claims_Line
- Dental_Claims_Header
- Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: MC038_Claim_Status_Cd

DSG Code: Medical - MC038

Pharmacy - PC025

Dental - MC038

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator determining the claims status such as primary, denied, reversal, etc.

Claim_Type_Cd

Locations:

DESF Tables

- Medical_Claims_Header
- Pharmacy_Claims_Header
- Dental_Claims_Header

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Claim_Type_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 1 = Inpatient claim type

2 = Outpatient claim type
3 = Professional claim type

Category: Other

Description: An indicator that identifies the type of claim

COB_Flag

Locations:

DESF Tables
- Medical_Claims_Header - Pharmacy_Claims_Header - Dental_Claims_Header

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: COB_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: The coordination of benefits flag indicates if the plan is a secondary/tertiary payer or a primary payer for a given member.

COB_TPL_Amount

Locations:

Tables
- Medical_Claims_Header - Medical_Claims_Line - Dental_Claims_Line - Pharmacy_Claims_Header - Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000000

Max Character Length: (18,4)

Security Level: De-Identified

Requirement: R (Required if MC038 = 19, 20, 21)

Database Column Name: COB_TPL_Amount

DSG Code: Medical - MC038A

Dental - MC038A

Pharmacy - PC025A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the amount due from a secondary carrier. Reports the amount that another payer is liable for after submitting payer has processed this claim line. If only collected on the header record report the COB/TPL amount on the first claim line. Reports 0 if there is no COB/TPL amount.

Coinsurance_Amt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Pharmacy_Claims_Header • Pharmacy_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example(format): 000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: MC066_Coinsurance_Amt

DSG Code: Medical - MC066

Pharmacy - PC041

Dental - MC066

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the dollar amount an individual is responsible for.

**Note denied claims/claims lines, coinsurance amount should be \$0.

Colorado_Option_Indicator

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Colorado_Option_Ind

DSG Code: ME149

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the flag indicating whether a plan is standardized in accordance with requirements defined by Colorado Revised Statute (C.R.S.) 10-16-1304.

Compound_Drug_Ind

DESF Tables
Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Compound_Drug_Ind

DSG Code: PC031

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Compound Drug

N = Non-compound Drug

U = Non-specified drug compound

Description: Holds the indicator specifying whether pharmaceutical is a compound drug or not.

Compound_Drug_Name

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX XXXXXXXXXX / XXXXXXXXX XXXXXX XXXXX XXXXX XXXXXX

Max Character Length: 255

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Compound_Drug_Name

DSG Code: PC031A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the name of the compound drug or the ingredient list.

Copay_Amt

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Pharmacy_Claims_Header - Pharmacy_Claims_Line

- Dentail_Claims_Header
- Dental_Claims_Line

Data Type: Numeric

Data Example (format): 000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Copay_Amt

DSG Code: Medical - MC065

Dental - MC065

Pharmacy - PC040

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the preset, fixed dollar amount for which the individual is responsible. Note denied claims/claim lines, co-pay amount should be \$0.

Coverage_Level_Cd

Locations:

Tables

- Member_Eligibility

Data Type: Variable Character (varchar)

Data Example (format): XXX

Max Character Length: 3

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Coverage_Level_Cd

DSG Code: ME007

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the reference codes (DSG, B.1.1) used to identify members coverage level.

Coverage_Type_Cd

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable Character (varchar)

Data Example(format): XXX

Max Character Length: 3

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Coverage_Type_Cd

DSG Code: ME029

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator to what group type of plan holds the risk.

CPT4_Cd

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X0000 / 0000X

Max Character Length: 10

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise leave blank)

Database Column Name: Procedure_Cd

DSG Code: MC055

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Health Care Common Procedural Coding System (HCPCS); this includes the CPT codes of the American Medical Association.

CPT4_Mod1_Cd

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X0

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise is left blank)

Database Column Name: CPT4_Mod1_Cd

DSG Code: MC056

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds procedure modifier required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.

CPT4_Mod2_Cd

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X0

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise leave blank)

Database Column Name: CPT4_Mod2_Cd

DSG Code: MC057

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds procedure modifier required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.

CPT4_Mod3_Cd

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X0

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise leave blank)

Database Column Name: CPT4_Mod3_Cd

DSG Code: MC214

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds procedure modifier required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.

CPT4_Mod4_Cd

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X0

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise leave blank)

Database Column Name: CPT4_Mod4_Cd

DSG Code: MC215

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds procedure modifier required when a modifier clarifies/improves the reporting accuracy of the associated procedure code.

Credential_Text_1

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): X.X.X / XXXXXX XXXXX

Max Character Length: 20

Security Level: De-Identified

Database Column Name: Credential_Text_1

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds providers NPI credentials

Days_Supply

Locations:

Tables
Pharmacy_Claims_Line

Data Type: Integer (int)

Data Example (format): 000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Days_Supply

DSG Code: PC034

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the estimated amount of time the pharmaceutical will last. Denied claims will have a 0.

Deductible_Amt

Locations:

Tables
• Medical_Claims_Header • Medical_Claims_Line • Pharmacy_Claims_Header • Pharmacy_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Deductible_Amt

DSG Code: MC067

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the amount a member must meet before services will be paid for by provider.

****Note denied claims/claims lines, deductible amount should be \$0.**

Denied_Claim_Ind

Locations:

Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Denied_Claim_Ind

DSG Code: MC038B

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes, claim was denied

N = No, claim was not denied

Description: Use this field to indicate whether the payer denied this specific line on this specific claim.

Dental_Carrier_Flag

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Dental_Claims_Header - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Dental_Carrier_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A flag that indicates if a payer is a standalone dental carrier. The standalone dental carriers will be identified by CIVHC.

Dental_Coverage_Flag

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable Character (varchar)

Data Example (format): X / 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Dental_Coverage_Flag

DSG Code: ME020

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: Y = Yes

N = No

3 = Unknown

Description: Holds an identifier whether member provider plan covers dental

Dental_Flag

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Dental_Claims_Header - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement:

Database Column Name: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available)

Values: Y = Yes, Claim is associated with dental services.

N = No, claim is NOT associated with dental services.

Description: A flag that indicates if a claim has a dental service.

Dental_Quadrant

Locations:

DESF Tables
Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): XX / 00

Max Character Length: 2

Security Level: De-Identified

Database Column Name: Dental_Quadrant

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the quadrant of members mouth associated with services performed.

Discharge_Dt

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 8

Security Level: Limited

Requirement: R (Required for all Inpatient Claims O for Outpatient)

Database Column Name: Discharge_Dt

DSG Code: MC069

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date a member was discharged from services.

Discharge_Dt_Day

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required for all Inpatient Claims O for Outpatient)

Database Column Name: Discharge_Dt

DSG Code: MC069

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day a member was discharged from services.

Discharge_Dt_Month

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required for all Inpatient Claims O for Outpatient)

Database Column Name: Discharge_Dt

DSG Code: MC069

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month a member was discharged from services.

Discharge_Dt_Year

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Numeric

Data Example (format): 0000

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required for all Inpatient Claims O for Outpatient)

Database Column Name: Discharge_Dt

DSG Code: MC069

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year a member was discharged from hospital.

Discharge_Status_Cd

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Discharge_Status_Cd

DSG Code: MC023

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the codes to what type of discharge was placed upon members claim after services were complete by provider.

Discharge_Time

Locations:

DESF Tables
Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 4

Security Level: Limited

Requirement: R (Required for all inpatient claims Optional for outpatient)

Database Column Name: MC022_Discharge_Time

DSG Code: MC022

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the time the member services were complete and released from care. Time expressed in military time = HHMM

Dispensed_As_Written_Cd

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Dispense_as_Written_Cd

DSG Code: PC030

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicators identifying a change in prescriptions and who change it.

Dispensing_Fee_Amt

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Dispensing_Fee_Amt

DSG Code: PC039

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the dispensing fee amount.

Drug_Nm

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXXXXXXXXXXXXXXX

Max Character Length: 30

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Drug_Nm

DSG Code: PC039

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the name of the pharmaceutical prescribed to member.

DX_Cd

Locations:

DESF Tables
• Medical_Claims_Dx

Data Type: Variable Character (varchar)

Data Example(format): X000

Max Character Length: 7

Security Level: De-Identified

Requirement:

Database Column Name: DX_Cd

DSG Code: MC041 - MC053

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available)

Description: Holds ICD diagnosis codes on patients claim.

DX_Description

Locations:

DESF Tables
• Medical_Claims_Dx

Data Type: Variable character (varchar)

Data Example (format): XXXXXXX XXXXXX XXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: DX_Description

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the ICD diagnosis code description

DX_Type

Locations:

DESF Tables
• Medical_Claims_Dx

Data Type: Variable character (varchar)

Data Example (format): XXX0

Max Character Length: 10

Security Level: De-Identified

Database Column Name: DX_Type

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the diagnosis code type.

E_Cd

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): X0000XXX

Max Character Length: 7

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: E_Cd

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Describes an injury, poisoning, or adverse effect.

Effective_Date

Locations:

DESF Tables
Member_to_Member_Composite_Crosswalk

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length:

Security Level: De-Identified

Database Column Name: Effective_Date

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Effective date of when the Member_ID to Member_Composite_ID relationship was established.

Eligibility_Day

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Database Column Name: Eligibility_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Start day of a member's eligibility. Day in DD format.

Eligibility_Dt

Locations:

DESF Tables
Member_Eligibility

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Database Column Name: Eligibility_Dt

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Start date of a member's eligibility. Date in YYYY-MM-DD format.

Eligibility_Month

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Requirement: R (Required)

Database Column Name: Eligibility_Month

DSG Code: ME005

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the Month a member was eligible for benefits from a provider.

Eligibility_Year

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Eligibility_Year

DSG Code: ME004

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year a member received benefits or was eligible for benefits from a provider.

Employer_Tax_ID

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example(format): 000000000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required) - for employer-based coverage

Database Column Name: Employer_Tax_ID

DSG Code: ME032

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: This is an integer substitution generated by CIVHC.

Employer_ZIP_Code

Locations:

DESF Tables
• Member_Eligibility

Data Type: Variable Character (varchar)

Data Example(format): 000000000

Max Character Length: 9

Security Level: De-Identified

Requirement: R (Required) - for employer-based coverage

Database Column Name: Employer_ZIP_Code

DSG Code: ME032A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the zip code associated with the members employer insurance group. The zip code is the same that would be on an employer's tax id document.

ER_Flag

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: ER_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes, claim line is associated with emergency room visit

N = No, claim line is NOT associated with emergency room visit

Description: A CIVHC generated flag that indicates an emergency room visit.

ERISA_Ind

Locations:

DESF Tables
• Member_Eligibility

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: ERISA_Ind

DSG Code: ME127

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values : Y = Yes

N = No

Description: Holds the indicators validating members eligibility for Employee Retirement Income Security Act (ERISA).

Ethnicity_1_Cd

Locations:

DESF Tables
• Member

- Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): XXXXX / 0000-0

Max Character Length: 6

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Ethnicity_1_Cd

DSG Code: ME025

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator to the ethnic group member associates with.

Ethnicity_2_Cd

Locations:

DESF Tables

- Member
- Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): XXXXX / 0000-0

Max Character Length: 6

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Ethnicity_2_Cd

DSG Code: ME026

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds indicator if member associates itself with multiple ethnic groups.

Exchange_Offering

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 2

Security Level: De-Identified

Database Column Name: Exchange_Offering

DSG Code: ME045

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Insurance purchased through exchange

N = Insurance was NOT purchased through exchange

U = Not Applicable (not offered in market or grandfathered in)

Description: Holds indicators identifying if members insurance was purchased through Connect for Health Colorado.

Fill_Dt

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Date (date)

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: Fill_Dt

DSG Code: PC032

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date the prescription was filled by the pharmacy

Fill_Dt_Day

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Fill_Dt_Day

DSG Code: PC032

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day the prescription was filled by the pharmacy.

Fill_Dt_Month

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Fill_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month the prescription was filled by the pharmacy

Fill_Dt_Year

Locations:

DESF Tables
• Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Fill_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year the prescription was filled by pharmacy.

FL_HighQualityGeo

Locations:

DESF Tables
• Member_Eligibility

Data Type: Boolean

Data Example (format): [x]

Max Character Length: 1

Security Level: De-Identified

Database Column Name: fl_HighQualityGeo

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: This holds indicators identifying linkage to geocoding, additional description located within the DESF.

FL_POBox

Locations:

DESF Tables
Member_Eligibility

Data Type: Boolean

Data Example (format): [x]

Max Character Length: 1

Security Level: De-Identified

Database Column Name: fl_POBox

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the flag indicating whether an address represents a PO Box address.

Formulary_Ind

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Formulary_Ind

DSG Code: PC053

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 1 = Yes,

2 = No,

3 = Unknown,

4 = Other,
5 = Not applicable

Description: Holds the indicator for carrier's formulary list.

Gender_Cd

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable Character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Gender_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: F = Female

M = Male

U = Unknown

Description: Holds indicators with the gender member associates with.

Generic_Drug_Ind

Locations:

DESF Tables
• Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Generic_Drug_Ind

DSG Code: PC029

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 01 = Branded Drug

02 = Generic Drug

Description: Holds the indicator informing whether drug is branded drug or generic drug.

Grandfather_Status

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Grandfather_Status

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes, members benefits were grandfathered in.

N = No, members benefits were NOT grandfathered in.

Description: Holds indicators identifying whether members benefits are no longer available on the market but have been allowed to continue on from acquisition.

Group_Size

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Group_Size

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: A = 1

E = 2 to 100

D = 101 +

Description: Holds indicators identifying how many members are associated with group.

HCPF_MCC_Flag

Locations:

DESF Tables
- Dental_Claims_Line - Medical_Claims_Header

Data Type: Boolean

Data Example (format): [x]

Max Character Length: 1

Security Level: De-Identified

Database Column Name: HCPF_MCC_Flag

DSG Code: MC216

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the flag indicating whether a claim is associated with managed care coordination. Only applicable to claims submitted by the Colorado Department of Health Care Policy and Financing (HCPF).

High_Deductible_Health_Savings_Account_Plan

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: High_Deductible_Health_Savings_Account_Plan

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes, this is a high deductible/health savings account plan

N = No, this is not a high deductible/health saving account plan

Description: Holds the indicator identifying if members insurance plan is a high deductible or health savings account plan.

HIOS_Plan_ID

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 00000XX0000000

Max Character Length: 14

Security Level: De-Identified

Database Column Name: ME151_HIOS_Plan_ID

DSG Code: ME151

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: 14-digit alphanumeric value within the Health Insurance Oversight system (HIOS), in which the first 5 digits identify the carrier and the last 9 digits identify the product or plan. This ID is required for all Colorado Division of Insurance (DOI)/Centers for Medicare & Medicaid Services (CMS) rate filings.

Hispanic_Ind

Locations:

DESF Tables
- Member_Eligibility - Member_Composite

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Hispanic_Ind

DSG Code: ME024

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: Y = Patient is Hispanic/Latino/Spanish

N = Patient is not Hispanic/Latino/Spanish

U = Unknown

Description: Holds the indicators on whether the member considers them to be of Hispanic descent.

HSR

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: HSR

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the health statistics region (HSR) code.

ICD_Primary_Procedure_Cd

Locations:

DESF Tables
- Medical_Claims_Header - Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): X000

Max Character Length: 7

Security Level: De-Identified

Requirement: R (Required for Outpatient and Professional Claims only; otherwise leave blank)

Database Column Name: ICD_Primary_Procedure_Cd

DSG Code: MC058

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the primary procedure code for this line of service.

ICD_Seq_Num

Locations:

DESF Tables
Medical_Claims_Dx

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: ICD_Seq_Num

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the code ICD Diagnosis sequence number.

ICD_Vers_Flag

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Dx • Medical_Claims_Procedures • Dental_Claims_Header • Dental_Claims_Procedures

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: ICD_Vers_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 0 = Claim includes ICD-9-CM codes
1 = Claim includes ICD-10-CM codes

Description: Holds an indicator whether the ICD is ICD-9 or ICD-10

Ingredient_Cost_Amt

Locations:

DESF Tables
• Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: PC037

DSG Code: PC037

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the cost of the pharmaceutical dispensed.

Insurance_Product_Type_Cd

Locations:

DESF Tables
• Medical_Claims_Header • Member_Eligibility • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): XX / 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: MC003_Insurance_Product_Type_Cd

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator for the type of insurance the members benefits are associated with.

Insurance_Product_Type_Desc

Locations:

DESF Tables
• Medical_Claims_Header • Member_Eligibility • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX XXXXXXXX XXXXX

Max Character Length: 75

Security Level: De-Identified

Database Column Name: Insurance_Product_Type_Desc

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the description of insurance product type.

Language_Preference

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): XXX

Max Character Length: 3

Security Level: De-Identified

Database Column Name: Language_Preference

DSG Code: ME143

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Primary language of the member. Field may be left blank if details are unavailable. See the ANSI/NISO Z39.53-2001 standard available at <https://www.niso.org/publications/z3953-2001>.

Latitude

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): 00.000000

Max Character Length: 9

Security Level: Identifiable

Database Column Name: Latitude

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the latitude coordinates of providers office.

Length_of_Stay

Locations:

DESF Tables
• Medical_Claims_Header

Data Type: Float

Data Example (format): 000

Max Character Length: 15

Security Level: DE-Identified

Database Column Name: Length_of_Stay

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: The duration of a single episode of inpatient admission, measured in days.

License_1

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX000000 / 000-00000 / X0X0X0X0X0

Max Character Length: 20

Security Level: De-Identified

Database Column Name: License_1

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider state license code number 1.

License_2

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX000000 / 000-00000 / X0X0X0X0X0

Max Character Length: 20

Security Level: De-Identified

Database Column Name: License_2

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider state license code number 2.

License_3

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX000000 / 000-00000 / X0X0X0X0X0

Max Character Length: 20

Security Level: De-Identified

Database Column Name: License_3

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider state license code number 3.

License_4

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX000000 / 000-00000 / X0X0X0X0X0

Max Character Length: 20

Security Level: De-Identified

Database Column Name: License_4

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider state license code number 4.

License_5

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX000000 / 000-00000 / X0X0X0X0X0

Max Character Length: 20

Security Level: De-Identified

Database Column Name: License_1

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider state license code number 5.

License_State_1

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Database Column Name: License_State_1

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the abbreviation of the state where provider license number 1 was granted

License_State_2

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Database Column Name: License_State_2

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the abbreviation of the state where provider license number 2 was granted

License_State_3

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Database Column Name: License_State_3

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the abbreviation of the state where provider license number 3 was granted

License_State_4

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Database Column Name: License_State_4

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the abbreviation of the state where provider license number 4 was granted

License_State_5

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Database Column Name: License_State_5

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the abbreviation of the state where provider license number 5 was granted

Line_Count

Locations:

DESF Tables
• Medical_Claims_Header • Dental_Claims_Header

Data Type: Integer (int)

Data Example (format): 000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Line_Count

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: The line number for a service in a claim.

Line_No

Locations:

DESF Tables
• Medical_Claims_Line • Pharmacy_Claims_Line • Dental_Claims_Line

Data Type: Integer (int)

Data Example(format): 00

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Line_No

DSG Code: MC005

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the number of lines associated with one claim number. The line counter begins with 1 and is incremented by 1 for each additional service line of a claim. All claims must contain a line 1.

Line_of_Business_Cd

Locations:

DESF Tables
• Medical_Claims_Header • Member_Eligibility • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Character (char), Integer (int)

Data Example (format): 0

Max Character Length: 3 , 19

Security Level: De-Identified

Database Column Name:

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds a code that classifies insurance product types into a broad categories.

Longitude

Locations:

DESF Tables
• Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): 00.000000

Max Character Length: 11

Security Level: Identifiable

Database Column Name: Longitude

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the longitude coordinates for providers office.

Market_Category_Cd

Locations:

DESF Tables
• Member_Eligibility

Data Type: Variable Character (varchar)

Data Example (format): XXX /XX0 / XXX0

Max Character Length: 4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Market_Category_Cd

DSG Code: ME030

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Represents the number of employees associated with policy if employer insurance group.

Medical_Coverage_Flag

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X / 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Medical_Coverage_Flag

DSG Code: ME018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: Y = Yes

N = No

3 = Unknown

Description: Holds an identifier whether member is covered by provider or not.

Medicare_Adjudicated

Locations:

DESF Tables
Medical_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: MedicareAdjudicated

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds indicator that Milliman was able to accurately reprice the claim.

Medicare_Allowed

Locations:

DESF Tables
Medical_Claims_Line

Data Type: Numeric

Data Example (format): Max Character Length: 19,6

Security Level: De-Identified

Database Column Name: Medicare_Allowed

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the repriced allowed amount for that claim line.

Medicare_Include

Locations:

DESF Tables
Medical_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: MedicareInclude

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the indicator that Milliman was able to accurately reprice the claim.

Member_Age_Days

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Integer (int)

Data Example (format): 00000

Max Character Length: 19

Security Level: Identifiable

Database Column Name: Member_Age_Days

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A member's age in days

Member_Age_Years

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Integer (int)

Data Example (format): 000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Member_Age_Years

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A member's age in years at time of service.

Member_Age_Years_YE

Locations:

DESF Tables
- Medical_Claims_Header - Pharmacy_Claims_Header - Dental_Claims_Header

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Member_Age_Years_YE

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A member's age in years at years end.

Member_City_Nm

Locations:

DESF Tables
Member

- Member_Street_Address_Crosswalk_All
- Member_Street_Address_Crosswalk_Recent

Data Type: Variable Character (varchar)

Data Example (format): XXXXX XXXXXXX

Max Character Length: 60

Security Level: Limited

Requirement: R (Required)

Database Column Name: Member_City_Nm

DSG Code: ME015

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the name of the city that member primarily resides in.

Member_Composite_ID

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Member_Composite • Member_to_Member_Composite_Crosswalk • Pharmacy_Claims_Header • Pharmacy_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Integer (int)

Data Example (format): 000000000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Member_Composite_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A unique identifier consolidating member_id's from various payers and assigned to all eligibility and claims records associated with a given individual

Member_DOB

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Identifiable

Requirement: R (Required)

Database Column Name: ME014_Member_DOB

DSG Code: ME014

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the members data of birth in a YYYY-MM-DD format

Member_DOB_Day

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Identifiable

Requirement: R (Required)

Database Column Name: Member_DOB_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the members day of birth.

Member_DOB_Month

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Identifiable

Requirement: R (Required)

Database Column Name: Member_DOB_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the members month of birth.

Member_DOB_Year

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: Security Level:

Requirement: R (Required)

Database Column Name: Member_DOB_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the members year of birth.

Member_Eligible_Flag

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Member_Eligible_Flag

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Member benefits were active as of date of service.

N = Member benefits were NOT active as of date of service.

Description: This indicates that a member was active at the time of the date of service of a claim.

Member_Gender_Cd

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Member_Gender_Cd

DSG Code: ME013

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: M = Male

F = Female

X = Non-binary

U = Unknown

Description: Holds indicators that identify the members gender.

Member_HSR

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Integer (int)

Data Example (format): 0

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Member_HSR

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the health statistics region (HSR) code.

Member_ID

Locations:

DESF Tables

- Medical_Claims_Header
- Medical_Claims_Line
- Member
- Member_to_Member_Composite_Crosswalk
- Pharmacy_Claims_Header
- Pharmacy_Claims_Line
- Dental_Claims_Header
- Dental_Claims_Line
- Member_Street_Address_Crosswalk_All
- Member_Street_Address_Crosswalk_Recent

Data Type: Integer (int)

Data Example (format): 000000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Member_ID

DSG Code: MC010

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A unique identifier associated with a single payer and assigned to all eligibility and claims records associated with member.

Member_Liability_Amt

Locations:

DESF Tables

- Medical_Claims_Header
- Medical_Claims_Line
- Pharmacy_Claims_Header
- Pharmacy_Claims_Line
- Dental_Claims_Header
- Dental_Claims_Line

Data Type: Numeric

Data Example (format): 000

Max Character Length: 18,4

Security Level: De-Identified

Database Column Name: Member_Liability_Amt

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Sum of copay, coinsurance, and deductible amounts due from the member.

Member_POS_Rebate_Amt

Locations:

DESF Tables
• Pharmacy_Claims_Header • Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Member_POS_Rebate_Amt

DSG Code: PC043A

Category: Cost

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the dollar amount of the total point-of-sale (POS) rebate received by the member.

Member_State_Cd

Locations:

DESF Tables
• Member • Member_Composite • Member_Street_Address_Crosswalk_All • Member_Street_Address_Crosswalk_Recent

Data Type: Variable Character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: ME016_Member_State_Cd

DSG Code: ME016

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the state the member primarily resides in.

Member_Subscriber_Rlp_Cd

Variable Identification: COAPCD_DIM.Dim_Relationship_Codes,
DSG, B.1.B

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Member_Subscriber_Rlp_Cd

DSG Code: ME012

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds relationship codes used by the submitter to identify member relationships

Member_URF

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX

Max Character Length: 8

Security Level: De-Identified

Database Column Name: Member_URF

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the geography type of patient, Urban, Rural, or Frontier

Member_Zip_Cd

Locations:

DESF Tables
• Member • Member_Composite • Member_Street_Address_Crosswalk_All • Member_Street_Address_Crosswalk_Recent

Data Type: Variable character (varchar)

Data Example (format): XXX 000 / 00000-0000

Max Character Length: 11

Security Level: Identifiable

Requirement: R (Required)

Database Column Name: Member_Zip_Cd

DSG Code: ME017

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the US postal service code the member primarily resides in.

****Note** May include non-US Zip codes

Member_Zip_Cd_3_Digit

Locations:

DESF Tables
- Member - Member_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX 000 / 00000-0000

Max Character Length: 11

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Member_Zip_Cd_3_Digit

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the US postal service code the member primarily resides in.

****Note** May include non-US Zip codes**

Metallic_Value

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Metallic_Value

DSG Code: ME121

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Metallic value as defined under the Affordable Care Act.

Metallic_Value_Desc

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): XXXXXX XXXXXXXX

Max Character Length: 225

Security Level: De-Identified

Database Column Name: Metallic_Value_Desc

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Description of the Metallic value.

MS_MDC_Cd

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Database Column Name: MS_MDC_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the Medicare Severity Major Diagnostic Category, a CMS grouper.

MSDRG_Cd

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 3

Security Level: De-Identified

Database Column Name: MSDRG_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the Medicare Severity Diagnosis Related Groups, a CMS grouper.

National_Pharmacy_NPI

Locations:

DESF Tables
- Pharmacy_Claims_Header - Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 000000000000

Max Character Length: 20

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: National_Pharmacy_NPI

DSG Code: PC021

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the national provider id (NPI). This data element pertains to the entity or individual directly providing the service.

National_Provider_ID

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 00000000

Max Character Length: 10

Security Level: De-Identified

Database Column Name: National_Provider_ID

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the national provider id (NPI). This data element pertains to the entity or individual directly providing the service.

NDC_Cd

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 00000000000

Max Character Length: 11

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Drug_Cd

DSG Code: MC075

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the NDC code used only when a medication is paid for as part of a medical claim or when a DME device has an NDC code.

Organization_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXX XXXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Oragnization_Nm

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Name of organization providing services.

Organization_Nm_Clean

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXX XXXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Oragnization_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Name of organization without punctuations or symbols..

Organization_Other_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXX XXXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Oragnization_Nm

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other name of organization.

Organization_Other_Nm_Clean

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXX XXXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Oragnization_Nm

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other name of organization without punctuations or symbols.

Other_Ethnicity

Locations:

Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): XXXXX / 0000-0

Max Character Length: 20

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Other_Ethnicity

DSG Code: ME027

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the ethnic group member put if selected other on form.

Other_First_Initial

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Other_First_Initial

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other initial of first name

Other_First_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Other_First_Nm

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other first name.

Other_Last_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Other_Last_Nm

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other last name

Other_Middle_Initial

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Other_Middle_Initial

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other initial of middle name

Other_Middle_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Other_Middle_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other middle name.

Other_Nm_Prefix

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX

Max Character Length: 15

Security Level: De-Identified

Database Column Name: Other_Nm_Prefix

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other prefix of name

Other_Nm_Suffix

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX

Max Character Length: 15

Security Level: De-Identified

Database Column Name: Other_Nm_Suffix

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Other suffix of name

Other_Race

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): XXXXXXXX

Max Character Length: 15

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Other_Race

DSG Code: ME023

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the classification of race member associates with if member selected other for ME021 or ME022

Paid_Dt

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required for paid and partially paid claims)

Database Column Name: MC017_Paid_Dt

DSG Code: Medical - MC017

Pharmacy - PC017

Dental - MC017

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: This is the date provider paid on claim. CCYYMMDD left blank if claim fully denied when MC038 = 04 or 23

Paid_Dt_Day

Locations:

DESF Tables
• Medical_Claims_Header • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required for paid and partially paid claims)

Database Column Name: Paid_Dt_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Day claim was paid, Left blank if claim fully denied when MC038 = 04 or 23

Paid_Dt_Month

Locations:

DESF Tables

- Medical_Claims_Header
- Pharmacy_Claims_Header
- Dental_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required for paid and partially paid claims)

Database Column Name: Paid_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Month claim was paid, Left blank if claim fully denied when MC038 = 04 or 23

Paid_Dt_Year

Locations:

DESF Tables

- Medical_Claims_Header
- Pharmacy_Claims_Header
- Dental_Claims_Header

Data Type: Numeric

Data Example (format): 0000

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required for paid and partially paid claims)

Database Column Name: Paid_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Year claim was paid, Left blank if claim fully denied when MC038 = 04 or 23

Payer_Cd

Locations:

DESF Tables
• Medical_Claims_Header • Member • Pharmacy_Claims_Header • Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 8

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: MC001_Payer_Cd

DSG Code: Medical - MC001

Eligibility - ME001

Pharmacy - PC001

Dental - MC001

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the reference number of all health care submitters are assigned whom have or are sending data to CIVHC.

Payment_Arrangement_Type

Locations:

DESF Tables
• Medical_Claims_Line • Dental_Claims_Line

Data Type: Character (char)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Payment_Arrangement_Type

DSG Code: MC213

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: 01=Capitation,
02=Fee for Service,
03=Percent of Charges,
04=DRG,
05=Pay for Performance,
06=Global Payment,
07=Other,
08=Bundled Payment

Description: Holds the indicator for the payment methodology.

PCP_NPI

Locations:

DESF Tables
• Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): 0000000000

Max Character Length: 10

Security Level: De-Identified

Database Column Name: PCP_NPI

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: NPI (National Provider Identifier) of the member's primary care physician.

Pharmacy_ID

Locations:

DESF Tables
• Pharmacy_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): X0X0X0X0XX0X0X

Max Character Length: 30

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Pharmacy_ID

DSG Code: PC018

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the pharmacy ID, a unique national identification number assigned by the National Council for Prescription Drug Programs (NCPDP) to every licensed pharmacy in the United States and its territories. AHFS numbers are acceptable.

Phone_Number

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000000000000

Max Character Length: 15

Security Level: De-Identified

Database Column Name: Phone_Number

DSG Code: N/A

Category: Other

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Phone number from the billing provider with service provider phone number listed where no billing phone number could be found.

Place_of_Service_Cd

Locations:

Tables
Medical_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required professional claims only)

Database Column Name: Place_of_Service_Cd

DSG Code: MC037

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the codes used in professional claims where services were rendered.

Plan_Covered_Amt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Database Column Name: Plan_CoveredAmt

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the sum of Paid_amt on the best and final claim lines unless the sum of the paid_amt is zero and the sum of the prepaid amount is greater than zero, in which case it is the sum of the prepaid amount.

Plan_Effective_Dt

Locations:

DESF Tables
Member_Eligibility

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Effective_Dt

DSG Code: ME897

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date member's plan was in effect.

Plan_Effective_Dt_Day

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Effective_Dt_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day member's plan was in effect.

Plan_Effective_Dt_Month

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Effective_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month member's plan was in effect.

Plan_Effective_Dt_Year

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Plan_Effective_Dt_Year

DSG Code: N/A

Category: Date

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year member's plan was in effect.

Plan_Paid_Amt

Locations:

Tables
• Medical_Claims_Header • Medical_Claims_Line • Pharmacy_Claims_Header • Pharmacy_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Plan_Paid_Amt

DSG Code: Medical - MC063

Pharmacy - PC036

Dental - MC063

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the amount of money the provider was paid.

**Note denied claims/claim lines, paid amount should be \$0

Plan_Term_Dt

Locations:

DESF Tables
• Member_Eligibility

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Term_Dt

DSG Code: ME897A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date that member's plan no longer provides benefits.

Plan_Term_Dt_Day

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Term_Dt_Day

DSG Code: N/A

Category: Date

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day that member's plan no longer provides benefits.

Plan_Term_Dt_Month

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 00

Max Character Length: 19

Security Level: Limited

Requirement: R (Required)

Database Column Name: Plan_Term_Dt_Month

DSG Code: N/A

Category: Date

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month that member's plan no longer provides benefits.

Plan_Term_Dt_Year

Locations:

DESF Tables
Member_Eligibility

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Plan_Term_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year that member's plan no longer provides benefits.

POA_Cd

Locations:

DESF Tables
Medical_Claims_Dx

Data Type: Character (char)

Data Example (format): X / 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required Inpatient only, otherwise leave blank)

Database Column Name: POA_Cd

DSG Code: MC201 - MC201M

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds code indicating the presence of admission (POA) at the time of admission.

POA_Description

Locations:

DESF Tables
• Medical_Claims_Dx

Data Type: Variable character (varchar)

Data Example (format): XXXXXX XXXXXXXX XXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: POA_Description

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the description of codes for presence of admission (POA)

POA_Seq_Num

Locations:

DESF Tables
• S2_Details_MC

Data Type: Integer (int)

Data Example (format): 000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: POA_Seq_Num

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds present on admission (POA) Sequence number

Postage_Claim_Amt

Locations:

DESF Tables
• Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Postage_Claim_Amt

DSG Code: PC038

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the postage claim amount

Prepaid_Amt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Prepaid_Amt

DSG Code: MC064

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the amount of fixed fee paid to provider for services per member.

****Note denied claims/claim lines, prepaid amount can be a positive amount or \$0.**

Prescribing_Provider_ID

Locations:

DESF Tables
- Pharmacy_Claims_Header - Pharmacy_Claims_Line

Data Type: Integer (int)

Data Example (format): 000000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Prescribing_Provider_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds a unique prescribing provider identifier

Prescription_Drug_Coverage_Flag

Locations:

DESF Tables
Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X / 0

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Prescription_Drug_Coverage_Flag

DSG Code: ME019

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: Y = Yes

N = No

3 = Unknown

Description: Holds an identifier whether members policy provides prescription drug coverage

Primary_Address_ID

Locations:

DESF Tables
• Provider_Composite

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Primary_Address_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the providers primary address identifier.

Primary_Insurance_Ind

Locations:

DESF Tables

- Member_Eligibility

Data Type: Variable character (varchar)

Data Example(format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Primary_Insurance_Ind

DSG Code: ME028

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes, this is members primary insurance.

N = No, this is NOT members primary insurance.

Description: Indicates whether claim line is associated with members primary insurance or not.

Principal_Diagnosis_Cd

Locations:

DESF Tables

- Medical_Claims_Header
- Dental_Claims_Header

Data Type: Variable character (varchar)

Data Example (format): 00000

Max Character Length: 7

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Principal_Diagnosis_Cd

DSG Code: MC041

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the code given by the provider for members initial diagnosis for services.

Procedure_Cd

Locations:

DESF Tables
- Medical_Claims_Procedures - Dental_Claims_Header_Procedures

Data Type: Variable character (varchar)

Data Example(format): X0000

Max Character Length: 7

Security Level: De-Identified

Requirement: R (Required Inpatient only, optional for O/P Default to blank)

Database Column Name: Procedure_Cd

DSG Code: MC058 - MC058E

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the secondary procedure code for this line of service.

Procedure_Dt

Locations:

DESF Tables
- Medical_Claims_Procedures - Dental_Claims_Procedures

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: Procedure_Dt

DSG Code: MC205 - MC205E

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date of the procedure.

Procedure_Dt_Day

Locations:

DESF Tables
- Medical_Claims_Procedures - Dental_Claims_Procedures

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: Limited

Requirement: R (Required)

Database Column Name: Procedure_Dt_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day procedure was performed.

Procedure_Dt_Month

Locations:

DESF Tables
- Medical_Claims_Procedures - Dental_Claims_Procedures

Data Type: Variable character (varchar)

Data Example (format): 00

Max Character Length: 2

Security Level: Limited

Requirement: R (Required)

Database Column Name: Procedure_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day procedure was performed.

Procedure_Dt_Year

Locations:

DESF Tables
• Medical_Claims_Procedures • Dental_Claims_Procedures

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Procedure_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year procedure was performed.

Provider_Composite_Address_ID

Locations:

DESF Tables
• Provider_Composite_Address • Provider_composite_to_Provider-Composite_Address_Crosswalk

Data Type: Integer (int)

Data Example (format): 00000000

Max Character Length: 19

Security Level: Sensitive

Database Column Name: Provider_Composite_Address_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds a unique provider address identifier.

Provider_Composite_ID

Locations:

DESF Tables
• Provider_Composite_Address • Provider_composite_to_Provider-Composite_Address_Crosswalk

Data Type: Integer (int)

Data Example (format): 00000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Provider_Composite_ID

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: A unique provider identifier that ties all of the claims records associated with a given provider together.

Provider_First_Initial

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: Sensitive

Database Column Name: Provider_First_Initial

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Initial of provider first name.

Provider_First_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Provider_First_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds provider's first name.

Provider_Last_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Provider_Last_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds provider's last name.

Provider_Middle_Initial

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Provider_Middle_Initial

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Initial of provider middle name.

Provider_Middle_Nm

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXXXX

Max Character Length: 60

Security Level: De-Identified

Database Column Name: Provider_Middle_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider's middle name.

Provider_Network_Indicator

Locations:

DESF Tables
- Medical_Claims_Line - Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Provider_Network_Indicator

DSG Code: MC207

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Yes

N = No

U = Unknown

Description: Holds the indicator identifying whether servicing provider is a participating provider.

Provider_Nm

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXXXXXXXXXXXX

Max Character Length: 100

Security Level: De-Identified

Database Column Name: Provider_Nm

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Provider name

Provider_Nm_Prefix

Variable Identification: COAPCD_DIM.Dim_NPI_Registry

Locations:

DESF Tables
• Provider_Composite

Data Type: Character (char)

Data Example (format): XXXXX

Max Character Length: 15

Security Level: De-Identified

Database Column Name: Provider_Nm_Prefix

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Prefix of provider's name.

Provider_Nm_Suffix

Locations:

DESF Tables
• Provider_Composite

Data Type: Character (char)

Data Example (format): XXXXX

Max Character Length: 15

Security Level: De-Identified

Database Column Name: Provider_Nm_Suffix

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Suffix of Provider's name.

Provider_Type

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): XXX

Max Character Length: 3

Security Level: De-Identified

Database Column Name: Provider_Type

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the type of provider.

Purchasing_Alliance_Ind

Locations:

DESF Tables
• Member_Eligibility

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Purchasing_Alliance_Ind

DSG Code: ME131

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the flag indicating whether the member is part of a purchasing alliance as defined in data element 'Purchasing_Alliance_Org'.

Purchasing_Alliance_Org

Locations:

DESF Tables
Member_Eligibility

Data Type: Character (char)

Data Example (format): XXX

Max Character Length: 4

Security Level: De-Identified

Database Column Name: Purchasing_Alliance_Org

DSG Code: ME132

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: PHA = Peak Health Alliance

LFT = Local First

TCPA = The Colorado Purchasing Alliance

VHA = Valley Health Alliance

Description: Holds the name of the purchasing alliance with which the member is associated.

Quantity_Dispensed

Locations:

DESF Tables
Pharmacy_Claim_Line

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Quantity_Dispensed

DSG Code: PC033

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the number of metric units of pharmaceuticals dispensed. Denied claims will have a quantity of 0.

Race_1_Cd

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): X0

Max Character Length: 6

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Race_1_Cd

DSG Code: ME021

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: R1 = American Indian/Alaska Native

R2 = Asian

R3 = Black/African American

R4 = Native Hawaiian or other Pacific

R5 = White

R9 = Other Race

UNKNOW = Unknown/Not Specified

Description: Holds the identifiers for what race the member associates with.

Race_2_Cd

Locations:

DESF Tables
• Member • Member_Composite

Data Type: Variable Character (varchar)

Data Example (format): X0

Max Character Length: 6

Security Level: De-Identified

Requirement: O (Optional)

Database Column Name: Race_2_Cd

DSG Code: ME022

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Value: R1 = American Indian/Alaska Native

R2 = Asian

R3 = Black/African American

R4 = Native Hawaiian or other Pacific

R5 = White

R9 = Other Race

UNKNOWN = Unknown/Not Specified

Description: Holds the identifiers if member associates itself with multiple races.

Locations (Missing name)

Locations:

DESF Tables
• Member_Eligibility

Data Type: Variable Character (varchar)

Data Example (format): 0

Max Character Length: 2

Security Level: Limited

Requirement: R (Required)

Database Column Name: Race_1_Cd

DSG Code: ME021

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code identifying which Medicaid Regional Accountable Entity (RAE) (1-7) the member is associated with. See RAE Regions defined by the Colorado Department of Health Care Policy & Financing (HCPF) at <https://hcpf.colorado.gov/accphaseII>.

Refill_Ind

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): X / 0

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Refill_Ind

DSG Code: PC028

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: N = New prescription

R = Refill, otherwise refill number provided

1 = New prescription

2 = Refill

Description: Holds the indicator that indicates the fill status of a pharmaceutical order.

Refill_Number

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Integer (int)

Data Example (format): 000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Refill_Number

DSG Code: PC028A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the number of pharmaceutical refills member has received.

Revenue_Cd

Locations:

DESF Tables
• Medical_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 0000

Max Character Length: 10

Security Level: De-Identified

Requirement: R (Required for Institutional Claims only, otherwise leave blank)

Database Column Name: Revenue_Cd

DSG Code: MC054

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the National Uniform Billing Committee Code. Institution claims only.

Risk_Basis

Locations:

DESF Tables
• Member_Eligibility

Data Type: Variable character (varchar)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Database Column Name: Risk_Basis

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: F = Fully insured
S = Self-insured

Description: Holds the identifier of member being fully insured by employer/program or self-insured

Rx_Fill_Date_First

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Database Column Name: Rx_Fill_Date_First

DSG Code: PC032

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds first fill date. Date in format YYYYMMDD.

Rx_Fill_Date_First_Day

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_First_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the first fill day of date. Date in format YYYYMMDD.

Rx_Fill_Date_First_Month

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_First_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the first fill month of date. Date in format YYYYMMDD.

Rx_Fill_Date_First_Year

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_First_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the first fill year of date. Date in format YYYYMMDD.

Rx_Fill_Date_Latest

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Database Column Name: Rx_Fill_Date_Latest

DSG Code: PC032

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds last fill date. Date in format YYYYMMDD.

Rx_Fill_Date_Latest_Day

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_Latest_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the last fill day of date. Date in format YYYYMMDD.

Rx_Fill_Date_Latest_Month

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_Lasttest_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the last fill month of date. Date in format YYYYMMDD.

Rx_Fill_Date_Latest_Year

Locations:

DESF Tables
Pharmacy_Claims_Header

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Rx_Fill_Date_Latest_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the last fill year of date. Date in format YYYYMMDD.

Seq_Num

Locations:

DESF Tables
- Medical_Claims_Procedures - Dental_Claims_Procedures

Data Type: Integer (int)

Data Example (format): 00000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required when MC058E is populated Default to blank if not present)

Database Column Name: Seq_Num

DSG Code: MC055 - MC058E

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: ICD procedure sequence numbers.

Service_Cd

Locations:

DESF Tables
Diagnosis_Related_Groups_DRG

Data Type: Variable character (varchar)

Data Example (format): XX000

Max Character Length: 10

Security Level: De-Identified

Database Column Name: Service_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the claim-level service categories which is followed by the APR DRG code assigned.

Service_End_Dt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: MC060_Service_End_Dt

DSG Code: MC060

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date services were stopped for patient. YYYYMMDD format.

Service_End_Dt_Day

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Service_End_Dt_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day services were stopped for patient.

Service_End_Dt_Month

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Service_End_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month services were stopped for patient

Service_End_Dt_Year

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Service_End_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year services were stopped for patient

Service_Provider_Composite_ID

Locations:

DESF Tables
• Medical_Claims_Line • Dental_Claims_Line

Data Type: Integer (int)

Data Example (format): 000000000

Max Character Length: 19

Security Level: De-Identified

Database Column Name: Service_Provider_Composite_Id

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Unique service provider identifier.

Service_Qty

Locations:

DESF Tables
• Medical_Claims_Line • Dental_Claims_Line

Data Type: Integer (int)

Data Example (format): 0000

Max Character Length: 19

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Service_Qty

DSG Code: MC061

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Count of services performed, which shall be set equal to one on all observation bed service lines and will be set equal to zero on all other room and board service lines, regardless of the length of stay.

Service_Start_Dt

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header • Dental_Claims_Line

Data Type: Date

Data Example (format): 0000-00-00

Max Character Length: 10

Security Level: Limited

Requirement: R (Required)

Database Column Name: service_Start_Dt

DSG Code: MC059

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the date services started for member. YYYYMMDD format.

Service_Start_Dt_Day

Locations:

DESF Tables
• Medical_Claims_Header • Medical_Claims_Line • Dental_Claims_Header

- Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Service_End_Dt_Day

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the day services started for member.

Service_Start_Dt_Month

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Dental_Claims_Header - Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: Limited

Requirement: R (Required)

Database Column Name: Service_End_Dt_Month

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the month services started for member.

Service_Start_Dt_Year

Locations:

DESF Tables
- Medical_Claims_Header - Medical_Claims_Line - Dental_Claims_Header - Dental_Claims_Line

Data Type: Numeric

Data Example (format): 00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Service_End_Dt_Year

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the year services started for member.

Specialty_Drug_Ind

Locations:

DESF Tables
Pharmacy_Claims_Line

Data Type: Character (char)

Data Example (format): X

Max Character Length: 1

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Specialty_Drug_Ind

DSG Code: PC029A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Values: Y = Drug is a specialty drug based on payer formulary

N = Drug is NOT a specialty drug based on payer formulary

Description: Holds the indicator identifying pharmaceutical as specialty drug or not.

State

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 80

Security Level: De-Identified

Database Column Name: State

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: State of provider location

Taxonomy_Cd_1

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000X0000X

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Taxonomy_Cd_1

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code that indicates provider specialty or taxonomy 1. Code set is freely available at the National Uniform Claims Committee's web site.

Taxonomy_Cd_2

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000X0000X

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Taxonomy_Cd_2

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code that indicates provider specialty or taxonomy 2. Code set is freely available at the National Uniform Claims Committee's web site.

Taxonomy_Cd_3

Locations:

DESF Tables
• Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000X0000X

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Taxonomy_Cd_3

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code that indicates provider specialty or taxonomy 3. Code set is freely available at the National Uniform Claims Committee's web site.

Taxonomy_Cd_4

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000X0000X

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Taxonomy_Cd_4

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code that indicates provider specialty or taxonomy 5. Code set is freely available at the National Uniform Claims Committee's web site.

Taxonomy_Cd_5

Locations:

DESF Tables
Provider_Composite

Data Type: Variable character (varchar)

Data Example (format): 000X0000X

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Taxonomy_Cd_5

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Code that indicates provider specialty or taxonomy 5. Code set is freely available at the National Uniform Claims Committee's web site.

Tooth_Number

Locations:

DESF Tables
Dental_Claims_Line

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 20

Security Level: De-Identified

Database Column Name: Tooth_Number

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the tooth number of member.

Tooth_Surface

Locations:

DESF Tables
Dental_Claims_Line

Data Type: Variable Character (varchar)

Data Example (format): XXXX

Max Character Length: 10

Security Level: De-Identified

Database Column Name: Tooth_Surface

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the tooth surface code.

Total_POS_Rebate_Amt

Locations:

DESF Tables
- Pharmacy_Claims_Header - Pharmacy_Claims_Line

Data Type: Numeric

Data Example (format): 0000.00

Max Character Length: 18,4

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: PC043_Total_POS_Rebate_Amt

DSG Code: PC043

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the dollar amount of the total point-of-sale (POS) rebate.

Unit_Of_Measure

Locations:

DESF Tables
S2_Details_MC

Data Type: Variable character (varchar)

Data Example (format): XX

Max Character Length: 2

Security Level: De-Identified

Requirement: R (Required)

Database Column Name: Unit_Of_Measure

DSG Code: MC061A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds types of units for quantity reported in MC061. Drugs, have the code that defines the unit of measure for the drug dispensed in MC075.

URF_Designation

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): XXXXX

Max Character Length: 8

Security Level: De-Identified

Database Column Name: URF_Designation

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: Holds the identifier to the geographic region of urban, rural, or frontier.

Zip_Cd

Variable Identification: COAPCD_DIM.Dim_ZIP_Codes

Locations:

DESF Tables
Provider_Composite_Address

Data Type: Variable character (varchar)

Data Example (format): 00000 / 000000000

Max Character Length: 20

Security Level: De-Identified

Database Column Name: Zip_Cd

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: ZIP Code of provider. May include non-US codes.

Zip_Cd_3_Digit

Locations:

Colorado All Payer Claims Database

DESF Dictionary



DESF Tables

- | |
|--|
| <ul style="list-style-type: none">• Provider_Composite_Address |
|--|

Data Type: Variable character (varchar)

Data Example (format): 000

Max Character Length: 12

Security Level: De-Identified

Database Column Name: Zip_Cd_3_Digit

DSG Code: N/A

Missing Data Code: " ", Blank (No Answer or No data Available), "NAN" (No Answer or No data Available), "NULL" (No Answer or No data Available)

Description: ZIP Code of provider. May include non-US codes. 3-digit.